
368 Barbadoes Street, Christchurch

Brooksfield Heritage



Location

These 5 heritage designed homes are located a stones throw to the Avon River. Everything Christchurch and the Avon has to offer is within walking distance, see below some of our favourite amenities right by your next home or investment.



- Avon River (30m)
- Pomroy's Brewery (350m)
- Margaret Mahy Playground (550m)
- 4 Latimer Square (600m)

- Gity Centre (1.3km)
- 6 Little High Eatery (2km)
- Hagley Park (1.4km)
- Airport (11km, 15mins)

Layout

These 5 homes are thoughtfully laid out and designed. Four of the homes are set back off Barbadoes street with a courtyard facing west. One standalone heritage cottage is tucked away off the street. Each home has a large outdoor living area with a combination of a paved patio and feature planting which includes Magnolia and Cherry Trees with Griselinia hedging and colourful flower beds.






Design And Interior

Homes 1 - 3

These homes are laid out across three levels, allowing for three bedrooms. The ground floor is set out in the Victorian style with the living room and dining/kitchen split by the stairs and a seperate toilet. On the first floor is a wide landing, off this is one bedroom a study and a large bathroom. On the second floor is two more bedrooms with a large storage cupboard.



Design And Interior


Home 4

Home 4 is laid across two levels, with the kitchen/dining and living on the ground floor. This home is either entered through the french doors from a private courtyard or through the back door from the carpark. On the ground floor is the galley kitchen with a built in seat for a dining table, the pantry, fridge and laundry are under the stairs. Upstairs is an open plan single bedroom with the option to close the bedroom off with an internal sliding door, a large wardrobe and ensuite.

Ground Floor



First Floor




Design And Interior

The Cottage

This home are laid out across two levels, allowing for two bedrooms. The ground floor is set out in the Victorian style with the living room and dining/ kitchen split by the stairs and a seperate toilet. Upstairs are two large bedrooms and a bathroom.

Ground Floor








Colours & Specifications

Exterior



Venetian Blinds - White -Bedrooms

areas



Wool Insulation

Plumbing & Electrical

Plumbing



Kitchen Mixer - Heritage Posh Canterbury - 4 Star water rating



Bathroom Vanity -Edwardian 61cm basin and standard pedestal



Toilets - Nova BTW



Shower mixer - Heritage Posh Canterbury



Downstairs W/C vanity



Showerhead & rail - Posh Domaine Brass Rail Shower



Bathroom mixers - Heritage Posh Canterbury, 4 star water rating



Heritage toilet roll holder



Heritage glass shower tray on tiles



Mirror - English Classic 2 Door Mirror Unit

Electrical



Heated towel rail - 400x600 Elan 20R



Plugs - Iconic Switchgear



Downlights - LED Switch downlight



Bathroom heater - Serene 2068 heater



Outdoor lights - Heritage



Appliances



Oven - Smeg Single Wall Oven



Rangehood - Applico Canopy Rangehood



Cook Top - Smeg 4 Zone Induction Cooktop



Dishwasher - Eurotech Single ED-SDC60SS



Heat Pump - Fujitsu - KW dependant on size to meet tanancy act

Planning Zone:

Exposure Zone: Sea Spray Zone:

Climate Zone:

Earthquake Zone: 2, TC3

Wind Zone:

Residetial Central City

High, Region A

No

SITE PLAN LEGEND

Boundary Line

Boundary setback as per CCC District Plan

BUILDINGS / PROPOSED BUILDINGS

Driveway / Paved Area

Exposed aggregate concrete, 100mm slab with SE62 reinforcing on AP40 Grade engineering fill compacted in

- 1:100min falls as shown, typically away from dwelling - finish to have slip resistance to comply with NZBC D1/AS1

Vegetation

Refer to Landscape Design for further detail.

SITE PLAN GENERAL NOTES

Contractor to confirm all dimensions on site.

All drawings to be read in conjunction with engineering/consultants documentation.

Confirm all existing services on site.

Contractor to confirm with designer if there is a conflict between consultant documentation and accepts liability for decisions made without consultation

All unpaved areas are to be a minimum of 225mm below Finished Floor Level. Paved areas to be a minimum of

Sediment controls to be taken during the construction process. To be read in conjunction with Environment Canterbury's " Erosion and Sediment Control Guideline

Provide stabilized entry pad & wash down area for contractor vehicles in accordance with ECAN sediment control for small sites.

A runoff diversion bund will be included in the site access way if required. sediment on footpaths and roads will be removed as soon as practicable.

All sediment control measures & structures are to be installed prior to major earthworks and are to be checked and maintained every day.

Stockpiles to be covered with impervious sheet.

Excavated topsoil is to be spread around the site and flatted where possible . The rest is to be removed from site. While stored on site all soil is to be covered with impervious sheet.

Work area shall be protected by site fencing to comply with F5.

BROOKSFIELD — H E R I T A G E —

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch


DRAWING NO.

REVISION

A001

DRAWING NO.

SITE PLAN



TOWNHOUSE 1:	TOWNHOUSE 2:	TOWNHOUSE 3:	TOWNHOUSE 4:	TOWNHOUSE 5:
Ground Floor Area: 29.5m² First Floor Area: 28.4m² Second Floor Area: 25.9m² Total Floor Area: 83.8m²	Ground Floor Area: 29.5m² First Floor Area: 28.4m² Second Floor Area: 25.9m² Total Floor Area: 83.8m²	Ground Floor Area: 29.5m² First Floor Area: 28.4m² Second Floor Area: 25.9m² Total Floor Area: 83.8m²	Ground Floor Area: 35.2m² First Floor Area: 33.3m² Second Floor Area: 0m² Total Floor Area: 68.5m²	Ground Floor Area: 41.4m² First Floor Area: 38.0m² Second Floor Area: 0m² Total Floor Area: 79.4m²
Property Area: TBCm ²	Property Area: TBCm ²	Property Area: TBCm ²	Property Area: TBCm ²	Property Area: TBCm ²

BROOKSFIELD

———H E R I T A G E —

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch

DRAWING NO.

REVISION

A002
DRAWING NO.

C

SITE BOUNDARY PLAN



0. LANDSCAPING PLAN

SCALE 1:150



LANDSCAPING LEGEND

Grass area

Planting area

- native grasses planted, 1 / m2 approx to suit - medium bark chip finished

Lime Chip Area
- lime chip finished

Paver

- 600x600 concrete pavers

Patio

- formed with 100mm concrete slab



Gobi Block

- Gobi block and lime chip

- All Trees to be 1.5m (min) height at time of planting
- Planting beds to be medium bark chip finished
- Landscaping areas to be 50% trees, 50% shrubs For planting refer to **Plant Legend**

LETTERBOX



- 5x Box Design letterbox at front boundary with street number and unit lettering



PLANT LEGEND

TYPE 1 - CHERRY TREE



Magnolia liliflora or similar





TYPE 3 - GRISELINIA LITTORALIS HEDGE "Broadway Mint"





TYPE 5 - BOX HEDGE Hydrangea, Lavender, and selected flowering "Buxus sempervirens"





TYPE 6 - CONIFER
"Thuja occidentalis 'Pyramidalis'''

6



PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch

PROJECT NAME

DRAWING NO.

REVISION

A003 DRAWING NO.




LANDSCAPING PLAN

BROOKSFIELD

— HERITAGE-

368 Barbadoes Street Development



1. GROUND FLOOR PLAN

SCALE 1:100



GENERAL NOTES:

All entries and exits to be in accordance with NZBC D1/AS1.

Anti-slip on all access routes (both external and internal) provide anti-slip surfaces complying with nzbc d1/as1/table 2.

Floor finishes for wet area rooms to be slip resistant in accordance with NZBC D1/AS1 table 2 and also to be in accordance with NZBC E3 - Internal Moisture.

Kitchen bench top to comply with NZBC G3/AS1.

Refer to Door and Window schedules for lintel sizes.

Mechanical ventilation for removing moisture shall be vented outside (includes wet areas, clothes dryer & cooking hood. refer nzbc g4/as1 1.3.c.ii.) mechanical ventilation to be 150mm dia 230 cu m/h inline fan ducted to soffit.

2. FIRST FLOOR PLAN

SCALE 1:100

Smoke alarms - Cavius Smoke Alarm, be installed to NZBC F1/AS1 with hush facility (3.0m radius)

All exposed fixings to be stainless steel

Contractor to install all new plumbing fixtures and appliances to manufacturers specifications.

Contractor to furnish and install all hardware unless noted otherwise.

Contractor to provide all blocking as required for proper installation of item. In wall 20mm plywood blocking at all sink, wall sconce and accessory locations.

3. SECOND FLOOR PLAN

SCALE 1:100

LEGEND - WALLS

90mm Timber Framed wall (external wall)

- 10mm GIB Board internal lining
- 20mm drained cavity
- 50mm Rockcote Integra Panel, plaster finish

90mm Timber Framed wall (internal wall)

- 10mm GIB Board internal lining both sides
- 140mm Timber Framed wall (internal wall)
- 10mm GIB Board internal lining both sides

Resene Construction Systems INTA120a Intertenancy System installed to manufacturers specifications Refer to FINISHES PLAN for wall lining specification

Resene Construction Systems INTA120a Intertenancy

- System (external wall)
 16mm Southern Pine Products bevel-back weatherboard
- 20mm drained cavity
- 20mm drained cavity
- 16mm Southern Pine Products bevel-back weatherboard

BROOKSFIELD

— H E R I T A G E —

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch


DRAWING NO

REVISION

A100

DRAWING NO.

FLOOR PLANS TOWNHOUSE 1-3



4,700



1. GROUND FLOOR PLAN

SCALE 1:100

2. FIRST FLOOR PLAN

SCALE 1:100



GENERAL NOTES:

All entries and exits to be in accordance with NZBC

Anti-slip on all access routes (both external and internal) provide anti-slip surfaces complying with nzbc

Floor finishes for wet area rooms to be slip resistant in accordance with NZBC D1/AS1 table 2 and also to be in accordance with NZBC E3 - Internal Moisture.

Kitchen bench top to comply with NZBC G3/AS1.

Refer to Door and Window schedules for lintel sizes.

Mechanical ventilation for removing moisture shall be vented outside (includes wet areas, clothes dryer & cooking hood. refer nzbc g4/as1 1.3.c.ii.) mechanical ventilation to be 150mm dia 230 cu m/h inline fan ducted to soffit.

Smoke alarms - Cavius Smoke Alarm, be installed to NZBC F1/AS1 with hush facility (3.0m radius)

All exposed fixings to be stainless steel

Contractor to install all new plumbing fixtures and appliances to manufacturers specifications.

Contractor to furnish and install all hardware unless noted otherwise.

Contractor to provide all blocking as required for proper installation of item. In wall 20mm plywood blocking at all sink, wall sconce and accessory locations.

LEGEND - WALLS

90mm Timber Framed wall (external wall)

- 10mm GIB Board internal lining
- 20mm drained cavity
- 50mm Rockcote Integra Panel, plaster finish

90mm Timber Framed wall (internal wall)

- 10mm GIB Board internal lining both sides

140mm Timber Framed wall (internal wall)

- 10mm GIB Board internal lining both sides

Resene Construction Systems INTA120a Intertenancy System installed to manufacturers specifications Refer to FINISHES PLAN for wall lining specification

Resene Construction Systems INTA120a Intertenancy System (external wall) - 16mm Southern Pine Products bevel-back

- weatherboard
- 20mm drained cavity
- 20mm drained cavity
- 16mm Southern Pine Products bevel-back weatherboard

BROOKSFIELD

——— H E R I T A G E —

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch


DRAWING NO.

REVISION

A101

DRAWING NO.

FLOOR PLANS **TOWNHOUSE 4**



E01 NORTH ELEVATION SCALE 1:100



E02 EAST ELEVATION SCALE 1:100

BROOKSFIELD

——— H E R I T A G E –

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch


DRAWING NO.

REVISION

A200

C

DRAWING NO.



E03 SOUTH ELEVATION SCALE 1:100



BROOKSFIELD

———H E R I T A G E —

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch

DRAWING NO.

REVISION


A201

C

DRAWING NO.



E08 STREET ELEVATION SCALE 1:100



BROOKSFIELD

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch

DRAWING NO.

REVISION


A202

DRAWING NO.



TOWNHOUSE 5

E06 EAST ELEVATION TOWNHOUSE 5
SCALE 1:100



BROOKSFIELD ----HERITAGE

PROJECT NAME

368 Barbadoes Street Development

PROJECT ADDRESS

368 Barbadoes Street Christchurch Central Christchurch

DRAWING NO.

REVISION

A203

DRAWING NO.

Price List

House	Bedrooms	Bathrooms	Carparks	House Size	Price
House 1	3	1.5	1 Carpark	84m2	\$885,000
House 2	3	1.5	1 Carpark	84m3	\$879,000
House 3	3	1.5	1 Carpark	84m4	\$879,000
House 4	1	1	1 Carpark	65m2	\$619,000
House 5	2	1.5	1 Carpark	80m2	\$799,000

Expected Start	Expected Completion	Title Type
January 2021	July 2022	Fee Simple

All prices include a full turnkey property, meaning it includes everything ready to move into on settlement.

