
62 Bletsoe Avenue, Christchurch

Brooksfield Heritage



Location

These Brooksfield Modern homes are located on Bletsoe Avenue, situated only a short distance from Sydenham park and the Selwyn Street shops with an easy commute into the City Centre. Below are some of our favourite spots close to your next Home or Investment Property.




Selwyn Shops (10m) Addington School (700m)

- Addington Shops (2km)
- Hagley Park (1.8km)

- Church Sqaure (1.2km)
- Sydenham Park (1km)
- Hospital (2.2km)
- Airport (13km, 15mins)

Layout

These 4 homes thoughtfully laid out and designed with space in mind. Each home comes with a large patio and grass outdoor living areas. 62 Bletsoe comes with established planting that includes Japanese Maple trees in the corner of each outdoor living space, grislinia littoralis hedging and cherry trees and box hedging in keeping with heritage Christchurch.



PLANT LEGEND





Short Storage S












Design And Interior

These homes have a large open plan living, dining and kitchen with large french doors to the courtyard. Downstairs we have an under stair storage with the hot water cylinder as well as a downstairs toilet. Upstairs is 2 double bedrooms, a study and a bathroom.



First Floor



Colours & Specifications

Exterior



Cladding Houses - Timber Weatherboard



Roof - Longrun roofing

-		
- 2		
- 5		
E		
	_	

Doorhandle - Schlage S-6000 keyless entry

Interior



Walls - Clover Honey, 100% natural plant based paint



Carpet - 100% NZ Wool



Skirkings, ceilings & doors-Quarter Clover Honey, 100% Natural plant based paint



Bathroom Floor - Tile



Bathroom Wall Tile



Kitchen Cabinets - French Country White



Entrance Floor Tile



Kitchen Bench - Stone -Coronet Peak



Roller Blinds - White - to all living areas



Splashback - Subway Tiles



Venetian Blinds - White -Bedrooms



Wool Insulation

Plumbing & Electrical

Plumbing



Kitchen Mixer - Heritage Posh Canterbury - 4 Star water rating



Bathroom Vanity -Edwardian 61cm basin and standard pedestal



Toilets - Nova BTW



Shower mixer - Heritage Posh Canterbury



Downstairs W/C vanity



Heritage toilet roll holder

Showerhead & rail - Posh

Domaine Brass Rail Shower

Heritage glass shower tray on tiles



Mirror - English Classic 2 Door Mirror Unit

Bathroom mixers - Heritage Posh

Canterbury, 4 star water rating


Electrical



Heated towel rail - 400x600 Elan 20R



Downlights - LED Switch downlight



Bathroom heater - Serene 2068 heater



Outdoor lights - Heritage

Appliances



Oven - Smeg Single Wall Oven



Rangehood - Applico Canopy Rangehood



Cook Top - Smeg 4 Zone Induction Cooktop



Dishwasher - Eurotech Single ED-SDC60SS



Heat Pump - Fujitsu - KW dependant on size to meet tanancy act



Laundry Tub - Extra Thick Steel Tub & Cabinet



Your Rental Appraisal

27 October 2022

ADDRESS: 62 Bletsoe Avenue, Spreydon

Thank you for the opportunity to provide a rental appraisal for the above property. We use the latest market insights, current available listings and recently rented statistics to provide you with a comprehensive appraisal.

Located in an established suburb close to the CBD and with Barrington Mall, schools and recreational facilities close by . Qaulity neutral decor and the benefits of a guest toilet and study.

After reviewing the provided information, I believe a fair market rent would be between **\$520 - \$550 per week** for an unfurnished, long-term rental.


Please do not hesitate to contact me if you have any questions regarding this rental appraisal.

Kind regards,

Ngaire Baker Senior Property Manager







SHEET INDEX


A000	PROJECT INTRODUCTION
A001	EXISTING/SEDIMENT CONTROL PLAN
A002	SITE PLAN
A003	SITE BOUNDARY PLAN
A004	LANDSCAPE PLAN
A100	FLOOR PLANS TOWNHOUSE 1-3
A101	FLOOR PLAN TOWNHOUSE 4
A200	SITE ELEVATIONS

A201 SITE ELEVATIONS



BROOKSFIELD ——HERITAGE

B I e t s o eA v e n u eT o w n h o u s e s6 2B l e t s o eA v e n u e , S p r e y d o n , C h r i s t c h u r c h



0. EXISTING/SEDIMENT CONTROL PLAN SCALE 1:150

SEDIMENT CONTROLS

Sediment controls to be taken during the construction process. To be read in conjunction with Environment Canterbury's " Erosion and Sediment Control Guideline 2007".

Provide stabilized entry pad & wash down area for contractor vehicles in accordance with ECAN sediment control for small sites.

A runoff diversion bund will be included in the site access way if required. All sediment on footpaths and roads to be removed as soon as practicable.

All sediment control measures & structures are to be installed prior to major earthworks and are to be checked and maintained daily as required.

All ground cover vegetation and trees outside the immediate building area to be preserved during the building phase.

Stockpiles (if any) to be covered with an impervious sheet.

Roof water downpipes to be connected to the permanent underground stormwater drainage system as soon as practical after the roof is laid.

Sediment control fence: Refer to Figure 9 & 10 - From Environment Canterbury -Erosion and Sediment Control Guidelines for Small Sites Figure 9 & 10 pg 10

-0

WORK-SITE BARRIERS


Work-site barriers to be installed in accordance with NZBC F5/AS1 Table 1, all work-site barriers to be erected prior to commencement of works.

Work-site Barrier:


--

Person responsible for implimention and maintenance of sediment controls is: Jimmy Turnbull (Project manager for Brooksfeild Living) Mobile: 021 241 5411 Email: jimmy@brooksfeild.co.nz

Figure 3 Typical stabilised all-weather site acces



Sediment fence construction details Figure 9



LEGEND - LEVELS


- + Proposed Finished Ground / Surface Level
- + Existing Ground Level

Note: Site Levels based on district plan supplied by Christchurch City Council 05/07/2021

Minimum FFL:

Figure 10






No specific requirement (District plan/flood assesment)

BROOKSFIELD — H E R I T A G E —

Alternative sediment fence installations (with and without a trench)



PROJECT NAME Bletsoe Avenue Townhouses 1:150 @ A3 Scale 13/08/2021 Date


PROJECT ADDRESS 62 Bletsoe Avenue Spreydon Christchurch DRAWING NO.

A00⁻

REVISION



DRAWING NO. EXISTING/SEDIMENT CONTROL PLAN



SCALE 1:150

PROJECT INFO:	
Address:	62 Bletsoe Avenue Spreydon Christchurch
Legal Description:	Lot 29 DP 3577
Title:	CB22B/1339
Site Area:	698m ²
Planning Zone:	Residential Suburban Density Transition Zone
Natural Hazards:	Liquifaction Management Area
Wind Zone: Earthquake Zone: Exposure Zone: Sea Spray Zone: Climate Zone: Land Zone:	High (BRANZ Map) 2 (BRANZ Map) C (BRANZ Map) No 3 (BRANZ Map) TC2

SITE PLAN LEGEND

- Boundary Line
- Boundary setback as per TA District Plan
 - **BUILDINGS / PROPOSED BUILDINGS**

Driveway / Paved Area

Exposed aggregate concrete, 100mm slab with SE62 reinforcing on AP40 Grade engineering fill compacted in 150mm layers - 1:100min falls as shown, typically away from dwelling - finish to have slip resistance to comply with NZBC D1/AS1

PROJECT FIGURES:

Gross Floor Area:	Unit 1 - 91.8m ² (56.0m ² over slab) Unit 2 - 94.0m ² (57.1m ² over slab) Unit 3 - 94.0m ² (57.1m ² over slab) <u>Unit 4 - 93.1m² (56.8m² over slab)</u> Total - 372.9m ² (226.5m ² over slab)
Site Coverage:	32.5%
Net Floor Area: (from internal wall)	Unit 1 - 86.7m ² Unit 2 - 88.6m ² Unit 3 - 88.6m ² Unit 4 - 87.6m ²

SITE PLAN GENERAL NOTES

Contractor to confirm all dimensions on site.

All drawings to be read in conjunction with engineering/consultants documentation.

Confirm all existing services on site.

Contractor to confirm with designer if there is a conflict between consultant documentation and accepts liability for decisions made without consultation.

All unpaved areas are to be a minimum of 225mm below Finished Floor Level. Paved areas to be a minimum of 150mm.

Sediment controls to be taken during the construction process. To be read in conjunction with Environment Canterbury's " Erosion and Sediment Control Guideline 2007".

Provide stabilized entry pad & wash down area for contractor vehicles in accordance with ECAN sediment control for small sites.

A runoff diversion bund will be included in the site access way if required. sediment on footpaths and roads will be removed as soon as practicable.

All sediment control measures & structures are to be installed prior to major earthworks and are to be checked and maintained every day.

Stockpiles to be covered with impervious sheet.

Excavated topsoil is to be spread around the site and flatted where possible . The rest is to be removed from site. While stored on site all soil is to be covered with impervious sheet.

Contractor to install temporary site fences (max 1800mm high from FGL) and lcokable gates during the constructon period to comply with F5/AS1.

LEGEND - LEVELS

Note: Site Levels based on district plan supplied by Christchurch City Council 05/07/2021

Minimum FFL:

No specific requirement (District plan/flood assesment)

BROOKSFIELD — H E R I T A G E —


PROJECT NAME Bletsoe Avenue Townhouses 1:150 @ A3 Scale 13/08/2021 Date

PROJECT ADDRESS 62 Bletsoe Avenue Spreydon Christchurch DRAWING NO.

A002

DRAWING NO. SITE PLAN






0. SITE BOUNDARY PLAN SCALE 1:150

		TOWNHOUSE 1:		TOWNHOUSE 3:	
	SITE BOUNDARY PLAN LEGEND	Ground Floor Area:	56.8m ²	Ground Floor Area:	57.1m ²
	Property/Notional Boundary Line	First Floor Area: Total Floor Area:	<u>36.3m²</u> 93.1m ²	First Floor Area: Total Floor Area:	<u>36.9m²</u> 94.0m ²
	R.O.W Easement	Property Area:	TBCm ²	Property Area:	TBCm ²
× .	Vegetation/Landscaping	TOWNHOUSE 2:		TOWNHOUSE 4:	
	Surveyor to confirm property areas and boundary lines at time of subdivision consent	Ground Floor Area: First Floor Area: Total Floor Area:	57.1m ² 36.9m ² 94.0m ²	Ground Floor Area: First Floor Area: Total Floor Area:	56.5m ² <u>35.4m²</u> 91.9m ²
		Property Area:	TBCm ²	Property Area:	TBCm ²

NOTES:			ISSUE			CLIENT BROOKSFIELD	CONSULTANTS	SCALE	1:150 @ A3
-ALL WORK SHALL COMPLY WITH THE TERMS AND CONDITIONS STARTING WORK	TORS MUST VERIFY ALL DIMENSIONSON SITE BEFORE & OR ORDERING MATERIALS.		STAGE	REV	DATE		Engco Ltd	DATE	13/08/2021
OF THE BUILDING CONSENT AND ANY RESOURCE CONSENTS ISSUED FOR THIS PROJECTSITE LEVELS SHO	OWN ARE AS EXISTING. REFER TO SURVEYOR FOR	Design	Truss Design Issue	A	02/08/2021	PROJECT NAME	Coffeys Geotech	JOB NO.	1283
	PLAN DIMENSIONS. A REGISTERED SURVEYOR IS TO IILDING BEFORE CONSTRUCTION COMMENCES.					Bletsoe Avenue Townhouses		DRAWN	MH+DH
CONJUNCTION WITH THE STRUCTURAL ENGINEER'S DRAWINGS AND VICE VERSAANY DISCREPAN	ICIES OR AMBIGUITY SHALL BE CLARIFIED WITH	Workshop						CHECKED	DWA
	HOP BEFORE ANY FURTHER WORK COMMENCE	Architecture.				PROJECT ADDRESS	DRAWING NO.	DRAWING NO.	REVISION
CODE AND ALL RELEVANT AND ASSOCIATED STANDARDS, ALL RIGHTS RESE	ERVED: & ALL GRAPHIC & WRITTEN MATERIAL CONTAINED	Architecture.				62 Bletsoe Avenue		DRAWING NO.	ILVISION
HERIN CONSTITU	TES THE ORIGINAL & UNPUBLISHED WORK OF HOP LTD. & MAY NOT BE COPIED, DISTRIBUTED, OR					Spreydon Christchurch	SITE BOUNDARY PLAN	$\land \land \land \land$	Λ
INSTALLED OR APPLIED IN STRICT ACCORDANCE WITH THE USED IN WHOLE		am@dwa.co.nz 4/1008 Ferry Road, Ferrymead, Christchurch						A003	A





0. LANDSCAPING PLAN

SCALE 1:150

PLANT LEGEND

Charloward S





TYPE 1 - BOX HEDGE "Buxus sempervirens"



2





Patios:





Impervious Areas: 149.6m² (driveway) <u>226.5m² (buildings over slab)</u> Total - 376.1m²

TYPE 5 FLOWER MIX

Hydrangea, Lavender, and selected flowering

plants

- 53.9% Impervious Cover:
- Landscaping Area: Planting Area: 208.3 m² (29.8%) 102.0m² (14.6%) 44.12m³ (Volume) Earthworks:
- 29.14m³ Fill (92.9m² x 0.3m depth) Drives: 1.27m³ Fill (12.7m² x 0.1m depth) (excluding the building foundations including a 1.8m perimeter)


LANDSCAPE LEGEND

Grass / lawn Area

- Planting Area - refer to Landscape Plan for detail
- Lime Area - lime chip finished
- Paver - 600x600 concrete pavers
- Patio - formed with 100mm concrete slab

Notes:

- All Trees to be 1.5m (min) height at time of planting Planting beds to be medium bark chip finished
 Landscaping areas to be 50% trees, 50% shrubs
- Apartment Mailbox Classic Scale: 110 158 at blown kit visual grads lantinuted poet. Partner white to match againthients. + 350 +



BROOKSFIELD


PROJECT NAME Bletsoe Avenue Townhouses 1:150 @ A3 Scale 13/08/2021 Date PROJECT ADDRESS

62 Bletsoe Avenue Spreydon Christchurch DRAWING NO.

A004

DRAWING NO. LANDSCAPE PLAN







1. GROUND FLOOR PLAN

SCALE 1:100



2,600	/_/ 295
100	90 _{//}
arage	11
280	k






TOWNHOUSE 4

1. GROUND FLOOR PLAN SCALE 1:100

2. FIRST FLOOR PLAN SCALE 1:100

LEGEND - WALLS



- 10mm GIB Fyreline internal lining
- 20mm drained cavity
- Covertek 403 wall wrap - James Hardie Linea weatherboard -JHETGL30

- Studs @400c/c, dwangs@800c/c

BROOKSFIELD

PROJECT NAME Bletsoe Avenue Townhouses 1:100 @ A3 Scale 13/08/2021 Date PROJECT ADDRESS


62 Bletsoe Avenue Spreydon Christchurch

DRAWING NO.

A101


DRAWING NO. FLOOR PLAN TOWNHOUSE 4





SCALE 1:100

E03 SOUTH ELEVATION TH 1-3 SCALE 1:100



E02 WEST ELEVATION

SCALE 1:150

LEGEND

Roof - Dimond Corrugate (0.4mm BMT) Colorsteel Endura roof cladding over Thermakraft Covertek roof underlay Colour to be Coloursteel white
Confirm with Brooksfield Living before ordering.

Horizotal Weatherboard Southern Pine Bevelback Weatherboard BB 180 installed as per manufacturers specifications on 20mm drained cavity system over building wrap. - Colour to be Resene Black White - Confirm with Brooksfield Living before ordering.

NOTES

Gutter Gutter with finish to match roofing fixed to fascia. Falls as shown on roof plan

Downpipes Downpipes to be 80Ø, finish & colour to match roofing (UNO)

Joinery APL powder coated aluminium exterior doors in selected finish and Sierra Pacific uPVC windows - Double glazed windows and doors with Grade A safety glass to all glazing within 800mm above finished floor level, or in wet areas in accordance with NZBC F2/AS1


Fascia, window trims, facings and entry post - Colour to be Resene Half Merino - Confirm with Brooksfield Living before ordering

BROOKSFIELD — HERITAGE

PROJECT NAME				
Bletsoe Avenue Townhouses				
Scale 1:100, 1:150				
Date	13/08/2027			
PROJEC [®]	T ADDRESS			
Spreydon	62 Bletsoe Avenue Spreydon Christchurch			
DRAWIN	G NO.			
A200				


DRAWING NO. SITE ELEVATIONS





E06 SOUTH ELEVATION TH 4 SCALE 1:100

E05 NORTH ELEVATION TH 4 SCALE 1:100



E04 EAST ELEVATION

SCALE 1:150

LEGEND

Roof - Dimond Corrugate (0.4mm BMT) Colorsteel Endura roof cladding over Thermakraft Covertek roof underlay

Colour to be Coloursteel white
Confirm with Brooksfield Living before ordering.

Horizotal Weatherboard Southern Pine Bevelback Weatherboard BB 180 installed as per manufacturers specifications on 20mm drained cavity system over building wrap. - Colour to be Resene Black White - Confirm with Brooksfield Living before ordering.

NOTES

Gutter Gutter with finish to match roofing fixed to fascia. Falls as shown on roof plan

Downpipes Downpipes to be 80Ø, finish & colour to match roofing (UNO)

Joinery APL powder coated aluminium exterior doors in selected finish and Sierra Pacific uPVC windows - Double glazed windows and doors with Grade A safety glass to all glazing within 800mm above finished floor level, or in wet areas in accordance with NZBC F2/AS1

Fascia, window trims, facings and entry post - Colour to be Resene Half Merino - Confirm with Brooksfield Living before ordering

BROOKSFIELD

PROJECT NAME				
Bletsoe A	Bletsoe Avenue Townhouses			
Scale	1:150, 1:100			
Date	13/08/2027			
PROJECT ADDRESS				
PROJEC	T ADDRESS			
PROJEC 62 Bletso Spreydon Christchu	e Avenue			

A201

DRAWING NO. SITE ELEVATIONS



Price List

House	Bedrooms	Bathrooms	Carparks	House Size	Price
House 1	2 + Study	1.5	Single Garage	92m2	\$709,000.00
House 2	2 + Study	1.5	Single Garage	91m2	\$709,000.00
House 3	2 + Study	1.5	Single Garage	91m2	\$709,000.00
House 4	2 + Study	1.5	Single Garage	91m2	\$709,000.00

Expected Completion

Title Type

July 2022

January 2023

Fee Simple

All prices include a full turnkey property, meaning it includes everything ready to move into on settlement.

